

FIG. 1

.

The Real Res Comments and the Second Second

FIG. 2




FIG.

Thumbnail View (Category)




FIG. 4

Thumbnail View (Channel)




FIG. 5

Text View (Channel)




FIG. 6

Frame View




FIG. 7

Shot View




FIG. 8

Key Frame View




FIG. 9

Highlight View




FIG. 10

Event View




FIG. 11

۶.

Character/Object View




FIG. 12




FIG. 13




FIG. 14




FIG. 1




FIG. 16





FIG. 18






FIG. 2




FIG. 23




FIG. 24




FIG. 25




FIG. 26





FIG. 27








FIG. 29





INPUT: PROGRAM DESCRIPTIONS OF AVAILABLE PROGRAM MEDIA

OUTPUT: PROGRAM DESCRIPTIONS OF SELECTED PROGRAM MEDIA, TAILORED TO SPECIFY DESIRED PORTIONS






FIG. 32



Individual
Preference
Name
Preference
Value

FIG. 33



Location		TestOp	InterOp	InterOp IntraOp
/Program /*CreationMetaInformation /*Creation	mation	match-case-insens	AND	AND
//*Creator/role		NULL	CAND OR	OR
//*Creator/Individual /FamilyName		substring-case-insens	CAND	OR
//*Creator/Individual /*GivenName		substring-case-insens	CAND	OR

FIG. 36

Test Operator	Description
substring-case-insensitive	Test that the preference value string [is a substring
substring-case-sensitive	of] / [matches] the Program Description element
string-match-case-insensitive	value, [with] / [without] being case sensitive.
string-match-case-sensitive	
value-less-than	Test that the Program Description element value
value-less-than-or-equal	converted to a number is $[<, <=>, >=, ==,$
value-greater-than	$><,>=<=,\sim$] the preference value converted to mimber[s]
value-greater-than-or-equal	In the case of range tests $(><,>=<=)$, the
value-equal	preference value is assumed to be a pair of
value-greater-than-less-than	comma-delimited numbers.
value-greater-than-equal- less-than-equal	I he approximate operator may have a second number describing the rolloff form the target number.
value-approximately	
count-less-than	Test that the quantity of Program Description
count-greater-than	elements is $[<, <>, >, = =, ><, \sim]$ the
count-equal	preference value converted to number[s]. In the case of range tests (> <) the preference
count-greater-than-less-than	value is assumed to be a pair of comma-delimited
count-approximately	numbers.
	The approximate operator may have a second number describing the rolloff from the target number.

FIG. 37

Combina	Combinatorial Operator Description
AND	The result of this Individual Preference test is boolean ANDed with others. If all the results in this combination are non-zero, the combined result is one, otherwise zero.
OR	The result of this Individual Preference test is boolean ORed with others. If any of the results in this combination are non-zero, the combined result is one, otherwise zero.
CAND	The Individual Preferences in this combination are evaluated form a Constrained common node. If all the results in this combination are non-zero, the combined result is one, otherwise zero.
MAX	The result of this Individual Preference test is combined arithmetically in a Maximum function with others. The combined result is the largest of all the results in this combination.
MIN	The result of this Individual Preference test is combined arithmetically in a Minimum function with others. The combined result is the smallest of all the results in this combination
PROD	The result of this Individual Preference test is combined arithmetically in a Product function with others. The combined result is the product of all the results in this combination.
SAND	The result of this Individual Preference test is fuzzy ANDed with others. The combined result is the product of all the fuzzy-transformed (mapped to an S-curve profile) results.
SUM	The result of this Individual Preference test is combined arithmetically in a Sum function with others. The combined result is the sum of all the results in this combination. The result may be further bounded to a maximum result value.
FREQ	The result of this Individual Preference test is boolean counted with others, and the sum is normalized. The combined result is the count of all non-zero results, divided by a fixed maximum frequency number. The result may be further bounded to a maximum result value.
RATIO	The result of this Individual Preference test is boolean counted with others, and the sum is normalized by the number of Individual Preference tests in this combination. The combined result is the count of all non-zero results, divided by the count of all results.

FIG. 38

<





FIG. 39






FIG. 41





FIG. 42

User Preference Description



Program Description




FIG. 43




FIG. 44A







FIG. 44B






Mapping Table:nameinterOpAORBORCORDORDOREANDFANDGANDHANDECANDFCANDGCANDGCANDHCANDHCAND

FIG. 45B





Name	Location	TestOp InterOp IntraOp	erOp I	ntra0p
Level 0 Preferences				1
FilteringAndSearchPreferences	llun	NA	NA	OR
BrowsingPreferences	null lun	NA	NA	OR
Level 1 Preferences				
Children of Filtering And Search Pre	references			
CreationPreferences	/Program/*CreationMetaInformation/*Creation	NA	AND	AND
ClassificationPreferences	/Program/*CreationMetaInformation/*Classification	NA	AND	AND
SourcePreferences	/Program/*UsageMetaInformation	NA	AND	AND
ClassificationPreferences/Country	/Program/*CreationMetaInformation/*Classification/*Country	STR_ISUB	AND	OR
Children of BrowsingPreferences				
SummaryPreferences	/Program/*Summarization	NA	AND	AND
Level 2 Preferences				
Children of CreationPreferences				
Title	/*Title/TitleText	STR ISUB	AND	OR
CreationDescription	/*CreationDescription	NA	AND	OR
Creator	//*Creator	NA	AND	OR
CreationLocation	/*CreationLocation	NA	AND	OR
CreationDate	/*CreationDate	NA	AND	OR
CreationMaterial	/*CreationMaterial	NA	AND	OR
CreationLocation/Country	/*CreationLocation/Country	STR_ISUB	AND	OR
Children of ClassificationPreferences	es.			
Language	/*Language	STR_ISUB	AND	OR
Genre	/*Genre	STR_ISUB	AND	OR
PackageType	/*PackageType	STR ISUB	AND	OR

FIG. 47A

<u>Name</u>	Location	TestOp InterOp IntraOp	erOp I	otraOp
Children of SourcePreferences				
Publication Type	/*Publication/PublicationType	STR ISUB AND	AND	NA
Children of SummaryPreferences				
SummaryTypePreference	/*HierarchicalSummary%summaryType		AND	OR
SummaryName	/*HierarchicalSummary%name	STR_ISUB	AND	OR
NumOfKeyFrames	/*HierarchicalSummary/*HighlightLevel VAL_EQ %numberOfKeyFrames	VAL_EQ	AND	OR
MinNumOfKeyfrmaes	/*HierarchicalSummary/*HighlightLevel VAL_GTE %numberOfKeyFrames	VAL_GTE	AND	OR
MaxNumOfKeyframes	/*HierarchicalSummary/*HighlightLevel VAL_LTE %numberOfKeyFrames	VAL_LTE	AND	OR
SmmaryDuration	/*HierarchicalSummary/*HighlightLevel VAL_EQ // // // // // // // // // // // // //	VAL_EQ	AND	OR
MinSummaryDuration	/*HierarchicalSummary/*HighlightLevel VAL_GTE // Duration		AND	OR
MaxSummaryDuration	/*HierarchicalSummary/*HighlightLevel VAL_LTE /Duration		AND	OR
Level 3 Preferences				
Children of CreationDescription				
Who	/Who	STR_ISUB	AND	OR
TextAnnotation	/TextAnnotation	STR_ISUB	AND	OR
Children of Creator				
role	/role	STR_IEQ	CAND	NA
Children of Creator, RealPerson				
Individual	/Individual	NA	AND	OR
QuasiPerson	/QuasiPerson	NA	AND	OR
Children of CreationLocation				

FIG. 47B

PlaceName	/*PlaceName	STR ISUB	AND	OR
PlaceRole	/PlaceRole	STR ISUB	AND	NA
Planet	/Planet	STR ISUB	AND	NA
GPSCoordinates	/GPSCoordinates	STR ISUB	AND	NA
Region	/Region	STR_ISUB	AND	NA
PostingIdentifier	/PostingIdentifier		AND	NA
AdministrativeUnit	/AdministrativeUnit	STR ISUB	AND	NA
PostalAddress	/PostalAddress		AND	NA
InternalCoordinates	/InternalCoordinates	STR ISUB	AND	NA
Children of CreationMaterial				
device_instrument	/device_instrument	STR ISUB	AND	NA
device setting	/device_setting	STR_ISUB	AND	NA
Level 4 Preferences				
Children of Individual, ContactPers	erson			
FamilyName	/FamilyName	STR ISUB	CAND	NA
GivenName	/*GivenName	STR ISUB	CAND	OR
SecondFamilyName	/*SecondFamilyName		CAND	OR
Initial	/*Initial	STR ISUB	CAND	OR
ProfessionalName	/*ProfessionalName	STR ISUB	CAND	OR
Children of QuasiPerson				
CharacterName	/*CharacterName	STR ISUB	CAND	OR
RealPerson	/*RealPerson	NA	CAND	OR
Children of Organization				
OrganizationName	/OrganizationName	STR ISUB	CAND	NA
ContactPerson	/*ContactPerson	NA	CAND	OR
Address	/*Address	NA	CAND	OR
Preference Types				
FilteringAndSearchPreferenceType	/*FilteringAndSearchPreferenceType	NA	NA	OR
BrowsingPreferenceType	/*BrowsingPreferenceType	NA	NA	OR

FIG. 47C




FIG. 49




FIG. 50